




G* GRASS®

NOVAPRO AIRMATIC

Het vertrouwde ladesysteem met geïntegreerde Airmatic demping.



Gedempte geleiders



40 kg



70kg


Volledig uittrekbare Nova Pro met Airmatic demping

Lengte	40 kg	70 kg
270 mm	63663-04 / -06	
300 mm	63664-04 / -06	
350 mm	63665-04 / -06	
400 mm	63666-04 / -06	
450 mm	63667-04 / -06	63711
500 mm	63668-04 / -06	63714
550 mm	63669-04	63717
600 mm	63670-04	63720
650 mm		63723

VP 10 garnituren à 1 (-04), 25 linker en 25 rechter geleiders in twee dozen (-06)

Maatvoeringen lade en ladegeleiders

Schroefposities - Nova Pro 40 kg en Nova Pro 70 kg



	Geleiderlengte			
	270 mm	300 - 400 mm	450 - 600 mm	650 mm
Maat y	160 mm	224 mm	288 mm	352 mm

Inbouwmaten voor Nova Pro Deluxe en Classic

Maatvoeringen

Inbouwmaat $58 \pm 0,5$
 Bodemdikte 16 mm
 Bevestiging geleiders:
 Euro-schroeven
 Ø 6 x mind. 13 mm
 (Art.nr. 83545)
 Boordiepte - 13 mm

Fronthaken:

Spaanplaatschroeven
 Ø 3,5 x min. 11 mm,
 Kop-Ø max. 7 mm
 Bijv. Art.nr. 87110, 87111, 10742

Samenstelling

